


LEGACY IN *Every Piece.*



800X 3000MM		800X 2400MM
600X 1200MM		600X 600MM


FULLBODY

WHEREVER, WHATEVER, FOREVER.



800X
2400MM

800X
3000MM






BIG SIZE



FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30001
800X2400MM - HSF24001
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30002
800X2400MM - HSF24002
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30003
800X2400MM - HSF24003
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC



BIG SIZE




FULL BODY




**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30004
800X2400MM - HSF24004
Thickness : 15MM
Finish : Glossy-Matt



BIG SIZE




FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30005
800X2400MM - HSF24005
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE





FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30006
800X2400MM - HSF24006
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC



BIG SIZE




FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30007
800X2400MM - HSF24007
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC

BIG SIZE




FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30008
800X2400MM - HSF24008
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC


BIG SIZE



FULL BODY



800X
2400MM



800X2400MM - HSF24009
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC



BIG SIZE



FULL BODY

**800X
2400MM**

800X2400MM - HSF24010
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
2400MM

800X2400MM - HSF24011
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
2400MM

800X2400MM - HSF24012
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC




BIG SIZE



FULL BODY

**800X
2400MM**



800X2400MM - HSF24013
Thickness : 15MM
Finish : Glossy-Matt



BIG SIZE



FULL BODY



800X
2400MM

800X2400MM - HSF24014
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
2400MM

800X2400MM - HSF24015
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC



BIG SIZE




FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30016
800X2400MM - HSF24016
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30017
800X2400MM - HSF24017
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE





FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30018
800X2400MM - HSF24018
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC



BIG SIZE



FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30019
800X2400MM - HSF24019
Thickness : 15MM
Finish : Glossy-Matt



BIG SIZE





FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30020
800X2400MM - HSF24020
Thickness : 15MM
Finish : Glossy-Matt



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE




FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30021
800X2400MM - HSF24021
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC



BIG SIZE



FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30022
800X2400MM - HSF24022
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC

BIG SIZE




FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30023
800X2400MM - HSF24023
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE





FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30024
800X2400MM - HSF24024
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC



BIG SIZE




FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30025
800X2400MM - HSF24025
Thickness : 15MM
Finish : Glossy



**STAIN
RESISTANT**



**WATER
REPELLENT**



**MAINTENANCE
FREE**



**95%
REFLECTION**



**FORMIDABLE
STRENGTH**



**DIRT
PROOF**



**PURE
HYGIENIC**

BIG SIZE




FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30026
800X2400MM - HSF24026
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC

BIG SIZE



FULL BODY



800X
3000MM



800X
2400MM



800X3000MM - HSF30027
800X2400MM - HSF24027
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC



BIG SIZE



FULL BODY



**800X
3000MM**



**800X
2400MM**



800X3000MM - HSF30028
800X2400MM - HSF24028
Thickness : 15MM
Finish : Glossy



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF




PURE
HYGIENIC




BIG SIZE




FULL BODY



**800X
3000MM**




**800X
2400MM**



800X3000MM - HSF30029
800X2400MM - HSF24029
Thickness : 15MM
Finish : Glossy



600X
1200MM





600X1200MM




FULL BODY



HSF12001- POLISHED | MATT



HSF12002-POLISHED | MATT



HSF12003-POLISHED | MATT



HSF12004- POLISHED | MATT



HSF12005-POLISHED | MATT



HSF12006-MATT



600X1200MM



FULL BODY




HSF12007-MATT



HSF12008-POLISHED | MATT




HSF1209-POLISHED | MATT



HSF12010-POLISHED | MATT



HSF12011-POLISHED | MATT



HSF12012-POLISHED | MATT

600X1200MM




FULL BODY



HSF12013-POLISHED | MATT



HSF12014-MATT



HSF12015-MATT



HSF12016-MATT



HSF12017-POLISHED | MATT




HSF12018-POLISHED | MATT




600X1200MM



FULL BODY




HSF12019-MATT



HSF12020-MATT





6 0 0 X
6 0 0 M M



600X600MM



HSF6001-POLISHED | MATT



HSF6002-POLISHED | MATT



HSF6003-POLISHED | MATT



HSF6004-POLISHED | MATT



HSF6005-MATT



HSF6006-POLISHED | MATT



HSF6007-POLISHED | MATT



HSF6008-POLISHED | MATT



HSF6009-POLISHED | MATT



STAIN
RESISTANT



WATER
REPELLENT



MAINTENANCE
FREE



95%
REFLECTION



FORMIDABLE
STRENGTH



DIRT
PROOF



PURE
HYGIENIC



600X600MM



HSF6010-POLISHED | MATT



HSF6011-POLISHED | MATT



HSF6012-MATT




HSF6013-MATT



HSF6014-POLISHED | MATT



HSF6015-MATT



HSF6016-MATT



HSF6017-MATT

- STAIN RESISTANT
- WATER REPELLENT
- MAINTENANCE FREE
- 95% REFLECTION
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC

TECHNICAL SPECIFICATION

PACKAGING DETAILS

Nominal Size (mm)	No. of tiles in carton	Avg. Wt. (kg) per carton	Coverage Area per carton	Thickness
800x3000MM	1.0	84.0	2.40 sqmt / 25.83 sqft	15.0 mm
800X2400MM	1.0	68.0	1.92 sqmt / 20.67 sqft	15.0 mm
600X1200MM	2.0	27.5	1.44 sqmt / 15.50 sqft	8.5 mm
600X600MM	4.0	27.5	1.44 sqmt / 15.50 sqft	8.5 mm

TECHNICAL SPECIFICATION FOR FULL BODY TILES

Characteristics	Requirement as per IS 15622:2017 E≤0.08% Group B1a	Requirement as per ISO 13006: Ev≤0.5% Group B1a (Annex G)	Test Method
A) Dimensions & surface quality			
i) Length & Width	± 0.10%	± 0.50%	IS 13630 Part 1/ISO-10545-2
ii) Thickness	± 5.0%	± 5.0%	
iii) Straightness of Side	± 0.10%	± 0.50%	
iv) Rectangularity	± 0.10%	± 0.60%	
v) Surface Flatness			
a) Centre Curvature (%) (Max Deviation)	± 0.50%	± 0.50%	
b) Edge Curvature (%) (Max Deviation)	± 0.50%	± 0.50%	
c) Corner Warpage (%) (Max Deviation)	± 0.50%	± 0.50%	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties			
i) Water Absorption	Av. E ≤ 0.08%, Individual 0.1 max	Av. ≤0.5 %, Individual 0.6% max	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Av. 35, Individual 32 Min	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300 Min.	1300 Min.	
iv) Moisture Expansion in mm/m	0.02	Test method available	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	IS 13630 Part 13
vi) Coefficient of linear thermal expansion from ambient temperature to 100°C	6 × 10 ⁻⁶ K ⁻¹ max	Test method available	IS 13630 Part 4 / ISO-10545-8
vii) Thermal Shock Resistance	10 cycle Min	Required	IS 13630 Part 4 / ISO-10545-9
viii) Craze Resistance	4 cycle @ 7.5bar min.	Not Applicable	IS 13630 Part 9 / ISO-10545-11
ix) Impact Resistance as Co-efficient of Restitution (COR)	Min 0.55	Test method available	IS 13630 Part 14 / ISO-10545-5
x) Deep Abrasion Resistance (in MM ³)	Min II	Abrasion Class & Cycle Passed	IS 13630 Part 12 / ISO-10454-7
xi) Frost Resistance	Required	Required	IS 13630 Part 10 / ISO-10545-12
C) Chemical Resistance			
i) Stain Resistance	Min Class -1	Min Class -3	IS 13630 Part 8 / ISO-10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class B	IS 13630 Part 9 / ISO-10545-13
iii) Resistance to acids and alkalis (except hydrofluoric acid and its compounds)	Required if agreed	Declared Value	

NOTE

- The reproduction of tiles in this catalogue is restricted to four colour printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order.
- Technical specifications for Home Square FULL BODY tiles are applicable only for premium quality tiles.
- Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

NOTE

This image shows a full page of white paper designed for handwriting practice. It features 20 evenly spaced, horizontal dashed lines that run across the entire width of the page. There are no margins, text, or other markings present.