



**Manufactured by :** The Home Square LLP  
**Marketed by :** Rooflux Tiles and Sanitary Pvt. Ltd.  
**Corporate Office :** SDA 32, Ground Floor, Sector 45,  
Noida - 201301 | Ph: 9031027780  
[www.thehomesquare.in](http://www.thehomesquare.in) | email: [info@thehomesquare.in](mailto:info@thehomesquare.in)



Visit us at:  
[www.thehomesquare.in](http://www.thehomesquare.in)



HS/GVT MASTER-1/CAT/04-25



# Unfolding The art of Eloquence



## GVT Collection

1200x1800MM | 800x1600MM | 600x1200MM

800x800MM | 600x600MM

[www.thehomesquare.in](http://www.thehomesquare.in)

WELCOME TO,

## HOME SQUARE TILES

The journey of creating the Home Square brand began in 2012 with a vision to revolutionize the building materials industry through style and innovation. Conceptualized by Shri Umashankar Sharma, a visionary leader in his field, Home Square was founded on the principles of uniqueness in design and groundbreaking advancements in the tile industry

Our designs not only captivate industry influencers - Architects, Interior Designers, Engineers, and Developers but also resonate with end customers, setting new standards in aesthetics and functionality. By pioneering innovative techniques and artistic designs, we have established a benchmark in the world of tiles



With state-of-the-art manufacturing facilities in Morbi, Gujarat, we supply premium Glazed Vitrified Tiles, Sanitary Ware, and Bath Fittings. Through resilience and an unwavering commitment to excellence, Home Square continues to carve its own space in the industry—earning trust, winning hearts, and redefining perceptions.



TILES JO DE

APNEPAN KA

एहसास!





M O S T   A D V A N C E D  
T E C H N O L O G Y

We extend our heartfelt gratitude for your unwavering loyalty and for choosing Home Square as your preferred buying destination. In a market brimming with choices, your decision to trust our brand is truly appreciated, serving as a driving force for us to consistently deliver.





#

# TILES AISI KI DIL SE NIKLE

# वाह !

The collection consists of surfaces that embellish your space with architectural richness and the finest details. The textures, tone and shade of opulence combine to let your space breathe a new wave of contemporary appeal.





# INSPIRING EXCELLENCE



Resistant to  
Fire and Heat



Frost Resistant  
Surface



Flatness and  
Stability Over Time



Impact Resistant  
Surface




Water Resistant  
Surface



Stain Resistant  
Surface

## AN EXCEPTIONAL COLLECTION


The success of a brand lies in its ability to evolve and stand ahead of its time with a pioneering vision. Home square and its exceptional offering is a result of vision, demand, and objective.



At Home Square, we believe in fostering long-term partnerships with our customers. We achieve this by providing innovative, trendy, and durable Glazed vitrified products at competitive prices. Our tiles are designed to bring a modern and elegant touch to any décor, making them the perfect choice for homeowners and designers.



# SIZES WE HAVE



Our diverse Glazed vitrified collections are designed to enhance the beauty and functionality of any living space.



# INDEX



1200 x 1800 MM Page No. 11 - 38



800 x 1600 MM Page No. 39 - 60



600 x 1200 MM Page No. 61 - 100



800 x 800 MM Page No. 101 - 114



600 x 600 MM Page No. 115 - 138



SIZE  
1200X  
1800MM







Design - HSG18002



GLOSSY FINISH  
1200X1800MM



GLOSSY



HSG18001

R3



HSG18002

R3



-  WATER REPELLENT
-  MAINTENANCE FREE
-  FORMIDABLE STRENGTH
-  DIRT PROOF
-  PURE HYGIENIC





GLOSSY FINISH

1200X1800MM

± 9 MM



GLOSSY



HSG18003

R3

GLOSSY FINISH

1200X1800MM





GLOSSY



HSG18005

R2



HSG18004

R3



HSG18006

R3





Design - HSG18008

GLOSSY FINISH  
1200X1800MM



GLOSSY



HSG18007

R3



HSG18008

R3




- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC

GLOSSY FINISH  
1200X1800MM



GLOSSY



HSG18009

R3

GLOSSY FINISH  
1200X1800MM



GLOSSY






HSG18011

R3



HSG18010

R2



HSG18012

R3





Design - Floor - HSG18013 - Wall - HSG18014

GLOSSY FINISH  
1200X1800MM



GLOSSY



HSG18013

R3



HSG18014

R3



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



GLOSSY FINISH  
1200X1800MM



GLOSSY




HSG18015

R3

GLOSSY FINISH  
1200X1800MM



GLOSSY



HSG18017

R3



HSG18016

R3



Design - HSG18017





Design - HSG18018

MATT FINISH  
1200X1800MM




FABRIC



HSG18018

P R3



HSG18019

P R3



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



MATT FINISH  
1200X1800MM

FABRIC

GLOSSY FINISH  
1200X1800MM


SILK



HSG18020


P

R3



HSG18022

R3



HSG18021

P

R3



HSG18023

R3





Design - HSG18024

GLOSSY FINISH  
1200X1800MM



SILK



HSG18024

R4



HSG18025

R3

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG18027

CARVING FINISH  
1200X1800MM



CARVING



HSG18026

R3



HSG18027

R3



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



CARVING FINISH  
1200X1800MM

CARVING



HSG18028

R3



HSG18029

R3

CARVING FINISH  
1200X1800MM

CARVING



HSG18030

R2



Design - HSG18028






Design - HSG18030



MATT FINISH  
1200X1800MM





MATT




HSG18031

R3



HSG18032

R3





- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



MATT FINISH  
1200X1800MM



MATT




HSG18033

R3

MATT FINISH  
1200X1800MM




MATT



HSG18035

R3



HSG18034

R3



Design - HSG18034



**SIZE**  
**800X1600MM**







Design - Wall : HSG16003 | Floor : HSG16004

GLOSSY FINISH  
800X1600MM




GLOSSY



HSG16001

R4



HSG16002

R4



HSG16003

R4



HSG16004

R3



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC



GLOSSY FINISH  
800X1600MM

GLOSSY



HSG16005 R4



HSG16006 R2



HSG16007 R3



HSG16008 R3

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC

GLOSSY FINISH  
800X1600MM

GLOSSY



HSG16009 R3



HSG16010 R3



HSG16011 R4



HSG16012 R3

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - Wall : HSG16013 | Floor : HSG16014

GLOSSY FINISH  
800X1600MM





GLOSSY



HSG16013

R3



HSG16014

R4



HSG16015

R2



HSG16016

R4



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



GLOSSY FINISH

800X1600MM



GLOSSY



HSG16017 R3



HSG16018 R3

GLOSSY FINISH

800X1600MM



GLOSSY



HSG16021 R3



HSG16022 R2



HSG16019 R4



HSG16020 R4



HSG16023 R3



HSG16024 R4





Design - HSG16027



GLOSSY FINISH  
800X1600MM



GLOSSY



HSG16025

R4



HSG16026

R3



HSG16027

R3

-  WATER REPELLENT
-  MAINTENANCE FREE
-  FORMIDABLE STRENGTH
-  DIRT PROOF
-  PURE HYGIENIC





Design - Wall : HSG16029 | Floor : HSG16031

CARVING FINISH  
800X1600MM



CARVING




HSG16028

R3





HSG16029

R3



HSG16030

R3



HSG16031

R3



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC



CARVING FINISH  
800X1600MM



CARVING



HSG16032

R3



HSG16033

R2



HSG16034

R2



HSG16035

R3



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC

CARVING FINISH  
800X1600MM




CARVING




HSG16036

R3




HSG16037



HSG16038



HSG16039



HSG16040



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC





Design - HSG16044

CARVING FINISH  
800X1600MM



CARVING



HSG16041



HSG16042



HSG16043



Design - HSG16043

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC






Design - Wall : HSG16045 | Floor : HSG16047

MATT FINISH  
800X1600MM




MATT



HSG16044

R2




HSG16045

R2



HSG16046

R2



HSG16047

R2



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



MATT FINISH  
800X1600MM



MATT



HSG16048

R2



HSG16049

R3



HSG16050

R3



HSG16051

R2



MATT FINISH  
800X1600MM



MATT



HSG16052

R2



HSG16053

R3



HSG16054

R3



HSG16055

R3





**SIZE**  
**600X1200MM**

---








Design - HSG12002

HIGH GLOSS FINISH  
600X1200MM




HSG12001

R4





HSG12002

R4



HSG12003

R4



HSG12004

R4



HSG12005

R4



HSG12006

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



HIGH GLOSS FINISH  
600X1200MM



GLOSTER



HSG12007

R4



HSG12008

R4



Design - HSG12008

HIGH GLOSS FINISH  
600X1200MM



RARE &  
UNIQUE



HSG12009

R4



HSG12010

R4




HSG12011

R4



HSG12012

R4



HSG12013

R4



HSG12014

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG12012

HIGH GLOSS FINISH  
600X1200MM




RARE &  
UNIQUE



HSG12015

R4



HSG12016

R4



HSG12017

R4



HSG12018

R4




Design - HSG12018



PASTEL  
600X1200MM




RARE &  
UNIQUE



HSG12019

R4




HSG12020

R4



HSG12021

R4



HSG12022

R4



HSG12023

R4



COLOR FUSION  
600X1200MM



RARE &  
UNIQUE



HSG12024

R4




HSG12025

R4



HSG12026

R4



HSG12027

R4



HSG12028

R4



HSG12029

R4







Design - HSG12033

COLOR FUSION  
600X1200MM



RARE &  
UNIQUE



HSG12030

R4



HSG12031

R4



HSG12032

R4



HSG12033

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - Wall : HSG12036 DECOR | Floor : HSG12036

CARVING FINISH  
600X1200MM



HSG12034

R3




HSG12034 DECOR



HSG12035

R3



HSG12035 DECOR



HSG12036

R3



HSG12036 DECOR



CARVING FINISH  
600X1200MM



CARVING



HSG12037

R3



HSG12037 DECOR



HSG12038

R3



HSG12038 DECORE



Design - Wall : HSG12038 DECORE | Floor : HSG12038



Design - Wall : HSG12037 DECOR | Floor : HSG12037








Design - Wall : HSG12041 | Floor : HSG12042

GLOSSY FINISH  
600X1200MM



GLOSSY



HSG12039

R4



HSG12040

R4



HSG12041

R4



HSG12042

R4



HSG12043

R4



HSG12044

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



GLOSSY FINISH  
600X1200MM



GLOSSY



HSG12045

R4



HSG12046

R4



HSG12047

R4



HSG12048

R4



HSG12049

R4



HSG12050

R4

GLOSSY FINISH  
600X1200MM



GLOSSY



HSG12051

R4



HSG12052

R4



HSG12053

R4





Design - HSG12054

GLOSSY FINISH  
600X1200MM



ENDLESS



HSG12054

R4



HSG12055

R4



HSG12056

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG12060

GLOSSY FINISH  
600X1200MM



BOOK MATCH




HSG12057

R2




HSG12058

R2



HSG12059

R2



HSG12060

R2

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



GLOSSY FINISH  
600X1200MM



BOOK MATCH



HSG12061

R2



HSG12062

R2



Design - HSG12061

GLOSSY FINISH  
600X1200MM



MARBLE



HSG12063

R4



HSG12064

R4



HSG12065

R4



HSG12066

R4



HSG12067

R4





GLOSSY FINISH  
600X1200MM



MARBLE



HSG12068

R4



HSG12069

R4



Design - HSG12069

MATT FINISH  
600X1200MM



WOOD



HSG12070

R4



HSG12071

R4



HSG12072

R4



HSG12073

R4



HSG12074

R4



HSG12075

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG12080

MATT FINISH  
600X1200MM



WOOD



HSG12076

R4



HSG12077

R4



HSG12078

R4



HSG12079

R4



HSG12080

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG12084

MATT FINISH  
600X1200MM



**MATT**



HSG12081



HSG12082



HSG12083



HSG12084



HSG12085



HSG12086

-  WATER REPELLENT
-  MAINTENANCE FREE
-  FORMIDABLE STRENGTH
-  DIRT PROOF
-  PURE HYGIENIC



MATT FINISH  
600X1200MM



MATT



HSG12087 R3




HSG12088 R4



HSG12089 R4



HSG12090 R4



HSG12091 R4



HSG12092 R4

MATT FINISH  
600X1200MM



MATT



HSG12093 R4



HSG12094 R4



Design - Wall : HSG12094 | Floor : HSG12090





SIZE  
800X  
800MM





Design - HSG8004

GLOSSY FINISH  
800X800MM



GLOSSY



HSG8001

R4



HSG8002

R2



HSG8003

R4



HSG8004

R4



HSG8005

R4



HSG8006

R3



- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



GLOSSY FINISH  
800X800MM


GLOSSY



HSG8007 R2



HSG8008 R4



HSG8009 R3



HSG8010 R4



HSG8011 R4



HSG8012 R3

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC

GLOSSY FINISH  
800X800MM

GLOSSY



HSG8013 R4



HSG8014 R4




HSG8015 R3



HSG8016 R4



HSG8017



HSG8018 R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG8019

GLOSSY FINISH  
800X800MM



GLOSSY



HSG8019

R4



HSG8020

R4



HSG8021

R4



HSG8022

R4



HSG8023

R4



HSG8024

R4






GLOSSY FINISH  
800X800MM

GLOSSY




HSG8025

R2




HSG8026

R3



HSG8027

R4



HSG8028



HSG8029



HSG8030




HSG8031




CARVING FINISH  
800X800MM

CARVING



HSG8032

R4



HSG8033

R4



HSG8034

R4




HSG8035

R4



HSG8036

R4



HSG8037

R4







Design - HSG8039



CARVING FINISH  
800X800MM



CARVING



HSG8038



R4



HSG8039



R4



HSG8040



R4



Design - HSG8040





Design - HSG8041

MATT FINISH  
800X800MM




RUSTIC



HSG8041



HSG8042



HSG8043



HSG8044



HSG8045



HSG8046




- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



MATT FINISH  
800X800MM




RUSTIC




HSG8047 R3




HSG8048 R3



HSG8049 R4



HSG8050




HSG8051

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC

MATT FINISH  
800X800MM



SATIN




HSG8052



HSG8053



HSG8054



HSG8055



Design - HSG8052





SIZE 600X  
600MM





Design - HSG6006

GLOSSY FINISH  
600X600MM



GLOSSY



HSG6001

R5



HSG6002

R5



HSG6003

R5



HSG6004

R5



HSG6005

R5



HSG6006

R5



HSG6007

R4



HSG6008

R3



HSG6009

R3

-  WATER REPELLENT
-  MAINTENANCE FREE
-  FORMIDABLE STRENGTH
-  DIRT PROOF
-  PURE HYGIENIC



GLOSSY FINISH  
600X600MM



GLOSSY



HSG6010 R4



HSG6011 R4



HSG6012 R4



HSG6013 R3




HSG6014 R3



HSG6015 R4



HSG6016 R4



HSG6017 R4



HSG6018 R4

GLOSSY FINISH  
600X600MM



GLOSSY



HSG6019 R5



HSG6020 R4



HSG6021 R4



HSG6022 R4



HSG6023 R4



HSG6024 R7



HSG6025 R7



HSG6026 R4



HSG6027 R3





Design - HSG6028



GLOSSY FINISH  
600X600MM



GLOSSY



HSG6028

R6



HSG6029

R6



HSG6030

R4



HSG6031

R5



HSG6032

R5



HSG6033

R5



HSG6034

R4



HSG6035

R4



HSG6036

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG6042

GLOSSY FINISH  
600X600MM



GLOSSY



HSG6037

R4



HSG6038

R6



HSG6039

R5



HSG6040

R4




HSG6041

R4



HSG6042

R3



HSG6043

R5



HSG6044

R8



HSG6045

R4

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG6050

CARVING FINISH  
600X600MM



CARVING



HSG6046

R4



HSG6047

R8



HSG6048

R8



HSG6049

R8



HSG6050

R8



HSG6051

R8



HSG6052

R8



HSG6053

R5



HSG6054

R5

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG6062

CARVING FINISH  
600X600MM



CARVING



HSG6055

R4



HSG6056

R5



HSG6057

R4



HSG6058

R4



HSG6059

R7



HSG6060

R4



HSG6061

R6



HSG6062

R8



HSG6063

R4



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC






Design - HSG6064

MATT FINISH  
600X600MM




MORACCAN




HSG6064 - L




HSG6064 - HL



HSG6064 - D




HSG6065 - L



HSG6065 - HL



HSG6065 - D



HSG6066 - L



HSG6066 - HL



HSG6066 - D


- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC



MATT FINISH  
600X600MM



MORACCAN



HSG6067 - L



HSG6067 - HL



HSG6067 - D




HSG6068 - L



HSG6068 - HL



HSG6068 - D



HSG6069 - L



HSG6069 - HL




HSG6069 - D



MATT FINISH  
600X600MM



MORACCAN




HSG6070 - L



HSG6070 - HL



HSG6070 - D




HSG6071 - L



HSG6071 - HL



HSG6071 - D



HSG6072 - L



HSG6072 - HL



HSG6072 - D







Design - HSG6075

MATT FINISH  
600X600MM



RASTIC MATT



HSG6073

R3



HSG6074

R3




HSG6075

R3




HSG6076

R3



HSG6077

R3



HSG6078

R3



HSG6079

R3



HSG6080

R3



HSG6081

R3

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC





Design - HSG6090



MATT FINISH  
600X600MM



RASTIC MATT



HSG6082

R3



HSG6083

R3




HSG6084

R3




HSG6085

R3



HSG6086

R3



HSG6087

R3



HSG6088

R1



HSG6089

R1



HSG6090

R1

- WATER REPELLENT
- MAINTENANCE FREE
- FORMIDABLE STRENGTH
- DIRT PROOF
- PURE HYGIENIC






Design - HSG6098

MATT FINISH  
600X600MM




MATT




HSG6091

R3




HSG6092

R3




HSG6093

R6




HSG6094

R6




HSG6095

R6



HSG6096

R5



HSG6097

R5



HSG6098

R5



HSG6099

R5



WATER  
REPELLENT



MAINTENANCE  
FREE



FORMIDABLE  
STRENGTH



DIRT  
PROOF



PURE  
HYGIENIC



MATT FINISH  
600X600MM



MATT



HSG60100 R4



HSG60101 R3



HSG60102 R5



HSG60103 R6



HSG60104 R6




HSG60105 R6



HSG60106 R6



HSG60107 R6



HSG60108 R6

MATT FINISH  
600X600MM



MATT



HSG60109 R5




HSG60110 R5




HSG60111 R5




HSG60112 R5




HSG60113 R4




HSG60114 R3



HSG60115 R3



HSG60116 R1



HSG60117 R1



# TECHNICAL SPECIFICATION

## NOTE

### PACKAGING DETAILS

| Nominal Size (mm) | No. of tiles in carton | Avg. Wt. (kg) per carton | Coverage Area per carton | Thickness |
|-------------------|------------------------|--------------------------|--------------------------|-----------|
| 1200x1800MM       | 2.0                    | 90                       | 4.32 sqmt / 46.50 sqft   | 9.0 mm    |
| 800X1600MM        | 2.0                    | 52                       | 2.56 sqmt / 27.56 sqft   | 8.8 mm    |
| 600X1200MM        | 2.0                    | 26                       | 1.44 sqmt / 15.50 sqft   | 8.0 mm    |
| 800X800MM         | 3.0                    | 36                       | 1.92 sqmt / 20.67 sqft   | 8.8 mm    |
| 600X600MM         | 4.0                    | 26                       | 1.44 sqmt / 15.50 sqft   | 8.0 mm    |

## TECHNICAL SPECIFICATION FOR WALL & FLOOR TILES

| Characteristics                                                                   | Requirement as per IS 15622:2017<br>E≤0.08% Group B1a | Requirement as per ISO 13006:<br>Ev≤0.5% Group B1a (Annex G) | Test Method                     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------|---------------------------------|
| A) Dimensions & surface quality                                                   |                                                       |                                                              |                                 |
| i) Length & Width                                                                 | ± 0.10%                                               | ± 0.30%                                                      |                                 |
| ii) Thickness                                                                     | ± 5.0%                                                | ± 5.0%                                                       |                                 |
| iii) Straightness of Side                                                         | ± 0.10%                                               | ± 0.30%                                                      |                                 |
| iv) Rectangularity                                                                | ± 0.10%                                               | ± 0.30%                                                      |                                 |
| v) Surface Flatness                                                               |                                                       |                                                              |                                 |
| a) Centre Curvature (%) (Max Deviation)                                           | ± 0.50%                                               | ± 0.40%                                                      | IS 13630 Part 1/ISO-10545-2     |
| b) Edge Curvature (%) (Max Deviation)                                             | ± 0.50%                                               | ± 0.40%                                                      |                                 |
| c) Corner Warpage (%) (Max Deviation)                                             | ± 0.50%                                               | ± 0.40%                                                      |                                 |
| vi) Surface Quality                                                               | Min, 95% of tiles will be free from visible defects   | Min, 95% of tiles will be free from visible defects          |                                 |
| B) Physical Properties                                                            |                                                       |                                                              |                                 |
| i) Water Absorption                                                               | Av. E ≤ 0.08%, Individual 0.1 max                     | Av. ≤0.5 %, Individual 0.6% max                              | IS 13630 Part 2/ISO 10545-3     |
| ii) Modulus of Rupture in [N/mm <sup>2</sup> ]                                    | Av. 35, Individual 32 Min                             | Av. 35, Individual 32 Min                                    | IS 13630 Part 6/ISO 10545-4     |
| iii) Breaking Strength in N                                                       | 1300 Min.                                             | 1300 Min.                                                    |                                 |
| iv) Moisture Expansion in mm/m                                                    | 0.02                                                  | Test method available                                        | IS 13630 Part 3/ISO-10545-10    |
| v) Scratch Hardness of surface (Mohs)                                             | Min 5                                                 | N.A.                                                         | IS 13630 Part 13                |
| vi) Resistance to Abrasion of glazed tiles (Class I to V)                         | Min II                                                | Report Abrasion Class & cycle passed                         | IS 13630 Part 11/ISO-10545-7    |
| vii) Coefficient of linear thermal expansion from ambient temperature to 100°C    | 6 × 10 <sup>-6</sup> K <sup>-1</sup> max              | Test method available                                        | IS 13630 Part 4 / ISO-10545-8   |
| ix) Crazeing Resistance                                                           | 4 cycle @ 7.5bar min.                                 | Required                                                     | IS 13630 Part 9 / ISO-10545-11  |
| x) Impact Resistance as Co-efficient of Restitution (COR)                         | Min 0.55                                              | Test method available                                        | IS 13630 Part 14 / ISO-10545-5  |
| xi) Bulk Density (gm/cc)                                                          | 2.2                                                   | N.A.                                                         | IS 13630 Part 2                 |
| xii) Coefficient of Friction                                                      | Where required manufacturer to declare value          | Where required manufacturer to declare value                 | ISO 10545-17                    |
| xiii) Frost Resistance                                                            | Required                                              | Required                                                     | IS 13630 Part 10 / ISO-10545-12 |
| C) Chemical Resistance                                                            |                                                       |                                                              |                                 |
| i) Stain Resistance                                                               | Min Class -1                                          | Min Class -3                                                 | IS 13630 Part 8 / ISO-10545-14  |
| ii) Resistance to household chemicals                                             | Min Class AA                                          | Min Class B                                                  | IS 13630 Part 9 / ISO-10545-13  |
| iii) Resistance to acids and alkalis (except hydrofluoric acid and its compounds) | Required if agreed                                    | Declared Value                                               |                                 |

## NOTE

- The reproduction of tiles in this catalogue is restricted to four colour printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order.
- Technical specifications for Home Square GVT tiles are applicable only for premium quality tiles.
- Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

This image shows a full page of white paper with horizontal dashed lines. The lines are evenly spaced and run across the entire width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.